



SF þak- og veggeiningar

1000




Völsun	Hlið A	Hlið B
S - völsun	○	○
V - völsun	■	■
Mikrovölsun	■	


Hlið A er venjulega hliðin sem snýr út.

○ Standard framleiðsla

■ Sérframleiðsla





Pak- og veggeiningar	SF-63	SF-82	SF-105	SF-129	SF-167	SF-196
a Þykkt eininga (mm)	63	82	105	129	167	196
U-gildi (W/m ² K)	0.58	0.45	0.36	0.30	0.23	0.20
Þyngd (kg/m)	17	20	22	25	30	33




Pak- og veggeiningar	SF-63	SF-82	SF-105	SF-129	SF-167	SF-196
Þykkt eininga (mm)	63	82	105	129	167	196
U-gildi (W/m ² K)	0.58	0.45	0.36	0.30	0.23	0.20
Þyngd (kg/m)	17	20	22	25	30	33

ST þak- og veggeiningar




Völsun	Hlið A	Hlið B
Trapízu völsun	○	
S - völsun		○
V - völsun		□

Hlið A er venjulega hliðin sem snýr út.
 ○ Standard framleiðsla
 □ Sérframleiðsla



Þak- og veggeiningar	ST-107	ST-126	ST-149	ST-173	ST-211	ST-240
Þykkt eininga (mm) b	63	82	105	129	167	196
Heildarþykkt ein. (mm) a	107	126	149	173	211	240
U-gildi (W/m ² K)	0.52	0.42	0.33	0.28	0.22	0.19
Þyngd (kg/m)	19	21	24	27	31	35



Pak- og veggeiningar	ST-107	ST-126	ST-149	ST-173	ST-211	ST-240
Þykkt eininga (mm)	63	82	105	129	167	196
Heildarþykkt ein. (mm)	107	126	149	173	211	240
U-gildi (W/m ² K)	0.52	0.42	0.33	0.28	0.22	0.19